

Residential Upgrade

Durango Office: P.O Box 2750, Durango, CO 81302 45 Stewart St, Durango, CO 81303 Phone: (970) 247-5786

Pagosa Springs Office:

P.O. Box 305, Pagosa Springs, CO 81147 603 S 8th St,Pagosa Springs, CO 81147 Phone: (970) 247-5786

Residential Upgrade Work Order

Below is a checklist to assist you with your new construction project:

In order to expedite the assignment of your job to a staking engineer, complete the following:
Property owner to complete and sign the "Application for Work Order" with accurate Service Address (assigned by the county)
Complete the "Upgrade Load Data Sheet", which contains crucial information to ensure an appropriately designed electric service
(if you need assistance filling out this form, consult with your electrician)
Pay the required Design Fee (Credit card payments are not accepted for New Construction) \$400 non-refundable
Provide the most current and recorded copy of Warranty Deed. Name on Warranty Deed must match name on application for
work order.
Submit the above by mail or at the office in Durango or Pagosa Springs.
Upon receipt of the above, the first available staking engineer will contact you to arrange an appointment to meet at the site to discuss your job. Please make sure property pins are in place or property boundaries are marked prior to this meeting. After the on-site meeting, the staking engineer will draw your job, compute the construction estimate, and contact you.
(NOTE: The estimate you receive is good for 30 days.)
Job will be released to construction for scheduling after you complete the following.
Sign and notarize necessary easements and contracts
Pay construction estimate (credit card payments are not accepted)
Contact LPEA at (970) 247-5786 and ask to speak with the Line Superintendent, in Durango (La Plata County) or Pagosa Springs
(Archuleta County), to coordinate scheduling for construction before you start trenching or clearing right-of-way. Be sure to reference
your LPEA Work Order Number when you call.
Clear right-of-way as required.
For Underground Line Extensions
Prior to digging trench, obtain:
Existing underground utility locations with the Utility Notification Center of Colorado at (800) 922-1987 or 811
Any required excavation permits
Verify that trench location will be within dedicated right-of-way Dig your trench. All trenching must be per LPEA specifications. (A \$600 fee will be charged to the customer if
LPEA construction crews show up at the job site and the trench is not ready or if trench does not meet NESC depth
specifications.)
Notify the LPEA Line Superintendent that you are ready for construction to proceed.
LPEA extends line and installs electrical facilities to metering point. You are responsible for everything past the metering point.
Contact Colorado State Electrical Inspector to inspect your service; www.dora.state.co.us/electric
Contact LPEA to have your meter installed after:
Trench has been backfilled (if underground electrical facilities are installed) Your service has been inspected and green-tagged by the Colorado State Electrical Inspector Call La Plata Electric at 970-247-5786 with permit # from Colorado Electrical Inspector. LPEA will energize line and meter.

LA PLATA ELECTRIC ASSOCIATION, INC.

Application for Work Order Residential

Revised 09/22/2022

Pror	perty Owner:		Spouse:				
-	N:		Spouse SSN:				
	vice Address <u>:</u>		City:	Zip:			
			Block:	Lot #:			
			City/State:	Zip:			
	ng Address <u>:</u> ne Phone:		<u> </u>	Διμ.			
			Email Address:				
	rk Phone:		- Project Contact:				
Ser	vice is:	Relocation	Nan	ne and phone			
	Indersigned (hereinafter called the "Applicant") hereby application") upon the following terms and condition: The Applicant will comply with and be bound by the regulations, and policies as may periodically be ad The Applicant agrees, when electric service is a	ne provisions of the popted by the Board	Articles of Incorporation and Bylar of Directors of the Association.	ws of the Association, and such rules,			
	schedule. Applicant understands and agrees that of the Applicant's service wires with the exception	the Association's	responsibility does not extend be	eyond the point of the Applicant's ownership			
3.	The Applicant hereby agrees to support and assist the necessary electric facilities together with full rig Association must purchase or condemn right-of-waresponsible for the Association's actual expenses for environmental studies and permitting; the expesshall pay to the Association such estimate of costs is refundable to the Applicant. Any necessary subsolely by the Applicant, his/her/its heirs, successors	ht of ingress and ender on the second of the	gress, as may be necessary to extended some some some expense of the Applicant. The purchase or condemnation of right with the construction of roads and tion's commencement of construction.	end and maintain this service. If the The Applicant agrees it shall be solely t-of-way; surveying; special archaeological reclamation of land damage. The Applicant ion. No portion of such payment of expenses			
4.	1. The Applicant hereby also grants the Association the right to cut and trim trees and shrubbery to the extent necessary to keep them clear of the electric facilities. All boring and trenching provided by the Applicant for the installation of the underground system must be located within the dedicated easements and the Applicant hereby warrants that the location of all required boring and trenching provided by the Applicant so conforms Any boring and trenching found now, or in the future, outside of the dedicated easement will be relocated within the dedicated easements, and all costs for the relocation will be the responsibility of the Applicant.						
5.	Upon mutual acceptance, this application for elect shall continue in force until canceled by the Application gregular office hours. This agreement may be material breach of this agreement, including failure Applicant will remain liable for all charges incurred	ant with at least a t e terminated by the of the Applicant to	wenty-four hour prior written notice Association for any reason author comply with the rules, regulations	e, which must be received by the Association rized by the Association's Bylaws or for a and bylaws of the Association. The			
6.	The Applicant agrees to pay a deposit with the As Association. The Applicant hereby grants and Association, upon any non-payment, termination capply said deposit to bills due the Association and	sociation takes a se of service, insolvenc	ecurity interest in said deposit as by, or petition for bankruptcy by und	collateral for service to be applied by the dersigned Applicant. The Association shall			
7.	If this agreement is for the installation of new servi but prior to construction and connection of new ele performance of such activities. It should be further available without actual connection for only one (1) connection within that year, or this agreement will this agreement.	ctric service, the Ap noted that, new ele year, thus Applicar	oplicant shall be held liable for all o ectric service and temporary constr nt should plan to have permanent v	costs incurred by the Association in the ruction service under this agreement are viring completed and must request actual			
8.	The Association will schedule construction projects cost overrun attributable to delays or changes caus will not be ready on the agreed date, you must notif Association's construction crews show up and, for reconstruction, a \$600 fee will be charged to the Apple	ed by the Applicant y the Association's easons attributable	or their representative will be the r construction supervisory personne	esponsibility of the Applicant. If your trench on or before 7a.m. of the agreed date. If the			
9.	Once the project construction is complete, the Association reserves the right to provide a refund o	ciation may reconc	ile actual costs incurred on the proj	ect against the original estimate. The			
10.	· ·	pership below, this of personal liability of be attached for any in provisions of the the Association, or	Application shall constitute an appli r responsibility for any debts or liab y such debts or liabilities of the Ass Articles of Incorporation and Bylaw in the case of a joint membership.	oilities of the Association, and it is expressly ociation. As a member of the Association, the /s of the Association, as the same may the holders thereof jointly, or any one of them			
	Property Owner						
Da	te:						
			RIZATION (OPTIONAL)				
	Yes, I wish to help our communities by roundir	ng up my electric	bill.				
	DI	SCLAIMER OF ME	MBERSHIP (OPTIONAL)				
	undersigned hereby chooses <u>not</u> to become a mem						
	customer of the Association, the Applicant agrees to e may periodically be lawfully amended.	comply with and b	e bound by the provisions of the Ar	rticles of Incorporation and Bylaws, as the			
	Primary Applicant			Applicant			
Date	·			Applicant			

Durango Office:



P.O. Box 2750, Durango, CO 81302 45 Stewart St, Durango, CO 81303

Phone: (970) 247-5786 **Pagosa Springs Office:**

P.O. Box 305, Pagosa Springs, CO 81147 603 S 8th St,Pagosa Springs, CO 81147

Phone: (970) 247-5786


Residential Service Upgrade Load Data Sheet

Service Location:		City:	
Property Owner:		Phone:	
		Phone:	
		Phone:	
may be charged to the member.	n this form ma sign caused by		ction is started
Renewables such as PV, Micro-Hydro			
Existing Generation	_Kw	Proposed Total Generation	Kw
ELE	CTRIC LO	OAD INFORMATION (required fields)	
Existing Main Disconnect Size:			Amps
Lighting @ .003 kW/Sq.Ft.	ADDE	D LOAD	kW
Electric Appliances: (Please check all tha	t apply)		kW
Range (typical 6 kw)	Wa	ter Heater (typical w/ tank 4 kw)	
Oven (typical 2.2 kw)		(typical w/o tank whole house 14-36	i kw)
Dryer (typical 4.4 kw)		(typical w/o tank one room 3-10 kw,)
Heating and Air Conditioning:			
Electric Heat (Non-E			kW
Fixed Electric Spacer Heater(s)			kW
Geothermal Motor(s)			kW
Air Conditioning (1 Ton = \sim 3.5 kW)			kW
EV Charger			kW
Other Load Please list:			kW
(i.e. Hot Tub/Spa, Well Pump, St	ump Pump	, Motors, Tank Heaters):	
Time- of- Use (TOU) Program:			kW
Electric Thermal Storage (ETS) Heate	er(s) kW + To	otal Water Heater kW	
		Total Connected Load	kW
Print Name			
Signature		Date	


All fields of this form must be completed. If areas are left blank the form will be returned for the additional information. If you need assistance filling out this form, consult with your electrician.

CLEAN SOIL ROCKY SOIL Final Grade Warning Warning Tape Tape 36" Min. 36" Min. 42" Max. Other Utility 42" Max. Utility Min. 7 12" Min. Other **LPEA LPEA** 6" Min. Min. Ŭtility Other_ Utility Shading** Shading** **-**12"Min. 6" Bedding* -16"Min. If utilities are 14"Min.side-by-side If other utilities are above LPEA If other utilities are above LPEA 8"Min. |- -22"Min.-If utilities are side-by-side

SOLID ROCK



IRRIGATION DITCH




NOTES:

- 3" GREY SCHEDULE 40 PVC SLEEVE REQUIRED ON ALL SINGLE PHASE ROAD CUTS.
- 6" GREY SCHEDULE 40 PVC SLEEVE REQUIRED ON ALL THREE PHASE ROAD CUTS.
- 6" HDPE PIPE WILL BE UTILIZED FOR ALL BORES


WARNING TAPE SUPPLIED BY LPEA; INSTALLED BY CUSTOMER.

- * BEDDING (ROCK FREE DIRT OR SAND) TO BE SUPPLIED AND INSTALLED BY CUSTOMER.
- ** SHADING (ROCK FREE DIRT OR SAND) TO BE SUPPLIED BY CUSTOMER; INSTALLED BY LPEA CREW. SHADING MUST BE SUPPLIED IN 20' INCREMENTS ALONG THE DITCH.






SOLID ROCK



IRRIGATION DITCH



NOTES:

- 3" GREY SCHEDULE 40 PVC SLEEVE REQUIRED ON ALL SINGLE PHASE ROAD CUTS.
- 3" HDPE PIPE WILL BE UTILIZED FOR ALL SINGLE PHASE BORES
- 6" GREY SCHEDULE 40 PVC SLEEVE REQUIRED ON ALL THREE PHASE ROAD CUTS.
- 6" HDPE PIPE WILL BE UTILIZED FOR ALL THREE PHASE BORES

FLOW FILL NOT ACCEPTED.

WARNING TAPE SUPPLIED BY LPEA; INSTALLED BY CUSTOMER.

SERVICES 400 AMP OR GREATER REQUIRE CONSULTATION WITH A STAKING ENGINEER REGARDING SECONDARY REQUIREMENTS.

SERVICES GREATER THAN 800 AMP WILL REQUIRE PARALLEL RUNS OF CONDUIT OF ADEQUATE SIZE FOR THE REQUIRED CONDUCTOR. CUSTOMER MUST CONSULT WITH STAKING ENGINEER.


- * BEDDING (ROCK FREE DIRT OR SAND) TO BE SUPPLIED AND INSTALLED BY CUSTOMER.
- ** SHADING (ROCK FREE DIRT OR SAND) TO BE SUPPLIED BY CUSTOMER; INSTALLED BY LPEA CREW.
- ** SHADING MUST BE SUPPLIED IN 20' INCREMENTS ALONG THE DITCH.

NO.	DATE	REVISIONS	APP'D	IDEA	DRAWN JDD	UG TRE	NCH AND
1	4/27/21	Removed suggested secondary wire type table	MAF	LPEA	CHECKED		ECIFICATIONS
2		Corrected HDPE sizes on bores	MAF	La Plata Electric Association, Inc.	APPROVED	DEDDING SEL	
3	4/27/21	Added required engineer consultation for services of 400 amps or greater.	MAF	A Touchstone Energy Cooperative	DATE	SECON	IDARY
				PO Box 2750	06/26/08		107111
				Durango CO 81302-2750		SCALE	DRAWING NUMBER
				COLORADO 32 LaPLATA	FILE NAME SPEC2.dwg	NONE	SPEC 2

8" - 17" TRENCH DEPTH


0"-9" WARNING TAPE *RED CONCRETE 8" - LPEA -12" MIN

18" - 23" TRENCH DEPTH



30"-35" TRENCH DEPTH

24"-29" TRENCH DEPTH



NO.	DATE	REVISIONS	APP'D

DRAWN MF	
CHECKED	
APPROVED	
DATE 06/30/08	

SHALLOW DEPTH

PRIMARY / SECONDARY SCALE DRAWING NUMBER

UG TRENCH

NONE SPEC 3

Highlights

from the "Line Extension Policy" and Other New Service Info

All electric line extensions must be installed according to LPEA's current "Line Extension Policy" and "Electric Service Regulations". These documents are available online at https://lpea.coop/policies or copies will be provided upon request.

LPEA/CUSTOMER INSTALLED EQUIPMENT

LPEA shall install all equipment necessary to complete your service requirements. This may include:

- Primary cable
- Transformers
- Secondary/service wire to point of metering
- Meter pedestal adjacent to the transformer
- Meter

Electric service will be provided to an Association-owned meter. Installation, ownership, and maintenance of the service wire from the meter to the load location are the responsibility of the Applicant. Law prohibits LPEA from performing work on the customer's side of the disconnect switch, as well as the tampering of LPEA-owned facilities by others.

The customer's installation must be inspected and green-tagged by the Colorado State Electrical Inspector in a manner visible to the LPEA representative before a meter will be installed.

TRENCHING AND BEDDING

All boring, trenching, bedding, and backfilling are to be provided by the customer without cost to LPEA and with provisions made for other utilities in accordance with their requirements. Please see the "Underground Trench and Bedding Specifications" included in this packet for more detail.

- In trenches of normal depth, electrical conduit will be placed at a minimum depth of thirty-six (36) inches and a maximum depth of forty-two (42) inches.
- In trenches of shallow depth, electrical conduit must be covered with reddyed concrete (Flow-fill is not acceptable). Installation must be inspected by an LPEA representative.

Highlights

from the "Line Extension Policy" and Other New Service Info

- Warning tape is required at six (6) inches below final grade in all trenches.
- Conduits installed in roadways are to be backfilled and compacted in a manner consistent with road compaction requirements of the local governing body (state, county, city, town, etc.).
- No LPEA lines will be energized until warning tape is installed and the trench has been completely backfilled.

LOCATION OF EXISTING UNDERGROUND FACILITIES

State law requires location of all underground utilities present on your property prior to any digging. Locates are arranged by calling the Utility Notification Center of Colorado (UNCC) at (800) 922-1987 or 811.

RIGHTS-OF-WAY/EASEMENTS

LPEA requires easement for all new electric lines. Typical easement width is 20 feet. If it is necessary to cross another's property to serve the customer, an LPEA easement is required from the other property owner.

Any special considerations of easements and/or permits must have LPEA approval.

Easements must be written, approved, signed and notarized before the job is released to construction. Any costs associated with the acquisition of right-of-way are the responsibility of the customer.

TREE TRIMMING

To increase safety, reduce outages, and prevent expensive damage, LPEA will periodically trim or remove vegetation from the electric line right-of-way.